

表13. 5年相対生存率(%) : 主要部位別、性別、進展度・総合別

愛知県

2015年

部位	ICD-10	進展度・総合				男		女		男女計	
		集計対象数 *1	5年相対生存率	標準誤差	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	標準誤差	集計対象数 *1	5年相対生存率
全部位	C00-C96	10,170	91.6	0.5	7,549	92.8	0.4	17,719	92.1	0.3	0.3
		2,018	65.7	1.3	2,193	81.0	1.0	4,211	73.8	0.8	0.8
		3,337	52.6	1.0	2,277	54.0	1.1	5,614	53.2	0.8	0.8
		5,160	16.5	0.6	3,227	18.9	0.7	8,387	17.4	0.4	0.4
		3,497	42.0	1.0	2,761	40.0	1.0	6,258	41.1	0.7	0.7
合計		24,794	60.7	0.4	18,446	64.7	0.4	43,240	62.4	0.3	0.3
領域		5,355	57.5	0.8	4,470	67.3	0.8	9,825	62.1	0.6	0.6
口腔・咽頭	C00-C14	184	84.4	3.6	112	91.8	3.9	296	88.2	2.7	2.7
		124	57.5	4.9	42	80.5	7.0	166	63.7	4.2	4.2
		200	46.4	3.9	72	50.2	6.4	272	47.4	3.4	3.4
		32	16.9	7.1	6	37.3	22.0	38	20.7	7.1	7.1
		65	38.1	6.8	33	36.2	9.2	98	37.6	5.5	5.5
合計		605	58.0	2.3	265	72.0	3.3	870	62.3	1.9	1.9
領域		324	50.7	3.1	114	61.9	5.0	438	53.6	2.6	2.6
食道	C15	203	78.3	3.8	36	90.8	5.5	239	81.1	3.3	3.3
		78	51.6	6.3	15	61.6	13.1	93	54.3	5.7	5.7
		202	29.7	3.5	49	39.4	7.5	251	31.7	3.2	3.2
		155	9.4	2.5	22	14.4	7.9	177	10.0	2.4	2.4
		125	28.6	4.4	19	33.0	11.4	144	29.3	4.1	4.1
合計		763	40.8	2.0	141	51.5	4.5	904	42.5	1.8	1.8
領域		280	36.1	3.1	64	45.1	6.6	344	37.8	2.8	2.8
胃	C16	1,780	93.6	1.2	673	91.5	1.6	2,453	93.0	1.0	1.0
		419	60.1	2.9	191	62.4	4.0	610	60.9	2.4	2.4
		402	36.2	2.7	153	31.2	4.0	555	34.8	2.2	2.2
		770	7.4	1.0	371	4.4	1.1	1,141	6.4	0.8	0.8
		383	28.9	2.8	219	20.3	3.1	602	25.8	2.1	2.1
合計		3,754	59.5	1.0	1,607	52.7	1.4	5,361	57.4	0.8	0.8
領域		821	48.3	2.0	344	48.6	3.0	1,165	48.4	1.7	1.7
大腸(結腸・直腸)	C18-C20	1,481	98.0	1.2	1,142	96.3	1.2	2,623	97.2	0.8	0.8
		676	83.4	2.0	530	80.7	2.2	1,206	82.2	1.5	1.5
		432	74.1	2.7	405	71.1	2.7	837	72.6	1.9	1.9
		758	18.2	1.5	631	17.0	1.6	1,389	17.7	1.1	1.1
		545	48.0	2.5	425	38.5	2.6	970	43.8	1.8	1.8
合計		3,892	70.2	0.9	3,133	66.7	1.0	7,025	68.6	0.7	0.7
領域		1,108	79.7	1.6	935	76.5	1.7	2,043	78.3	1.2	1.2

\*1 D00、上皮内、診断時年齢100歳以上、第2がんに降を除く

リ転：領域リンパ節転移、隣接：隣接臓器浸潤、遠隔：遠隔転移、領域：領域リンパ節転移＋隣接臓器浸潤

表13. 5年相対生存率(%) : 主要部位別、性別、進展度・総合別

愛知県

2015年

部位	ICD-10	進展度・総合			男			女			男女計		
		集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差
結腸	C18	限局	911	98.4	1.5	789	96.5	1.4	1,700	97.9	1.1		
		リ転	373	85.4	2.8	362	81.9	2.6	735	83.8	1.9		
		隣接	278	77.2	3.4	322	71.8	3.0	600	74.2	2.3		
		遠隔	463	13.8	1.7	458	14.9	1.8	921	14.4	1.2		
		不明	318	48.7	3.4	296	33.3	3.0	614	41.3	2.3		
合計	2,343	70.7	1.2	2,227	65.5	1.2	4,570	68.1	0.9				
領域	651	81.9	2.2	684	77.2	2.0	1,335	79.5	1.5				
直腸	C19-C20	限局	570	95.9	1.8	353	95.5	2.0	923	95.9	1.3		
		リ転	303	81.0	3.0	168	77.7	3.7	471	79.8	2.3		
		隣接	154	68.5	4.4	83	68.7	5.8	237	68.6	3.5		
		遠隔	295	25.0	2.7	173	22.5	3.3	468	24.1	2.1		
		不明	227	47.0	3.8	129	50.2	4.8	356	48.2	3.0		
合計	1,549	69.6	1.4	906	69.5	1.7	2,455	69.6	1.1				
領域	457	76.8	2.5	251	74.7	3.2	708	76.1	2.0				
肝および肝内胆管	C22	限局	617	51.1	2.4	272	47.4	3.4	889	49.9	1.9		
		リ転	14	24.8	13.0	9	23.6	15.2	23	24.7	10.0		
		隣接	129	9.4	2.8	49	15.6	5.5	178	11.2	2.5		
		遠隔	129	3.4	1.7	78	4.2	2.4	207	3.8	1.4		
		不明	194	17.3	3.1	140	8.4	2.6	334	13.5	2.1		
合計	1,083	34.1	1.6	548	28.2	2.1	1,631	32.1	1.3				
領域	143	10.9	2.8	58	17.0	5.2	201	12.8	2.5				
胆のう・胆管	C23-C24	限局	74	65.6	7.4	62	56.6	7.4	136	61.5	5.3		
		リ転	15	7.6	8.4	7	0.0	0.0	22	5.0	5.6		
		隣接	184	30.8	3.9	149	25.2	3.9	333	28.3	2.8		
		遠隔	103	2.1	1.5	154	2.2	1.3	257	2.2	1.0		
		不明	81	7.7	3.3	88	8.2	3.2	169	8.0	2.3		
合計	457	25.1	2.3	460	18.2	2.0	917	21.6	1.5				
領域	199	29.1	3.7	156	24.0	3.7	355	26.9	2.6				
膵臓	C25	限局	54	31.0	7.1	57	33.1	6.7	111	32.1	4.9		
		リ転	14	31.9	13.7	23	14.5	7.9	37	21.1	7.3		
		隣接	257	14.4	2.3	230	12.7	2.3	487	13.6	1.6		
		遠隔	484	3.8	0.9	342	1.6	0.7	826	2.9	0.6		
		不明	108	8.9	3.2	111	0.0	0.0	219	4.2	1.6		
合計	917	9.4	1.0	763	7.5	1.0	1,680	8.5	0.7				
領域	271	15.3	2.3	253	12.9	2.2	524	14.1	1.6				

\*1 DCO、上皮内、診断時年齢100歳以上、第2がん以降を除く

リ転：領域リンパ節転移、隣接：隣接臓器浸潤、遠隔：遠隔転移、領域：領域リンパ節転移＋隣接臓器浸潤

表13. 5年相対生存率(%) : 主要部位別、性別、進展度・総合別

愛知県

2015年

部位	ICD-10	進展度・総合				男女計					
		男	女	男女計	男	女	男女計				
		集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	
喉頭	C32	限局	162	90.9	3.9	12	92.8	8.6	174	91.4	3.7
		リ転	24	68.9	12.3	3	33.7	27.8	27	66.2	11.4
		隣接	24	60.3	12.3	2	0.0	0.0	26	55.3	11.7
		遠隔	2	51.7	40.4	2	0.0	0.0	4	26.9	24.7
		不明	18	45.3	14.0	6	0.0	0.0	24	33.6	11.1
		合計	230	82.9	3.6	25	51.7	10.8	255	79.7	3.5
領域	48	65.7	8.7	5	20.3	18.5	53	60.9	8.2		
肺	C33-C34	限局	1,012	76.7	1.8	588	91.3	1.6	1,600	82.2	1.3
		リ転	395	40.7	2.8	144	47.4	4.5	539	42.5	2.4
		隣接	366	29.1	2.6	79	35.7	5.7	445	30.3	2.4
		遠隔	1,577	8.2	0.7	600	14.7	1.5	2,177	10.0	0.7
		不明	517	15.5	1.8	270	23.5	2.8	787	18.3	1.6
		合計	3,867	32.5	0.8	1,681	46.9	1.3	5,548	36.9	0.7
領域	761	35.1	1.9	223	43.3	3.6	984	37.0	1.7		
皮膚	C43-C44	限局	488	94.4	2.8	450	96.1	2.6	938	95.3	1.9
		リ転	13	64.6	18.6	4	52.3	27.8	17	64.2	15.6
		隣接	31	62.3	10.8	18	73.5	13.0	49	68.0	8.4
		遠隔	6	16.9	15.7	4	0.0	0.0	10	10.1	9.7
		不明	52	87.2	7.6	51	75.8	7.8	103	82.3	5.5
		合計	590	92.2	2.5	527	92.6	2.5	1,117	92.4	1.8
領域	44	65.0	9.4	22	71.9	11.9	66	68.0	7.4		
乳房	C50	限局	20	98.7	8.3	2,403	98.7	0.5	2,423	98.7	0.5
		リ転	4	78.3	25.7	961	92.2	1.1	965	92.2	1.1
		隣接	0	.	.	182	76.4	3.7	182	76.4	3.7
		遠隔	1	100.0	0.0	271	45.2	3.2	272	45.5	3.1
		不明	3	68.3	29.7	537	64.0	2.3	540	64.0	2.3
		合計	28	99.8	8.1	4,354	89.0	0.6	4,382	89.1	0.6
領域	4	78.3	25.7	1,143	89.7	1.1	1,147	89.7	1.1		
子宮	C53-C55	限局	-	-	-	702	95.1	1.0	702	95.1	1.0
		リ転	-	-	-	61	69.8	6.0	61	69.8	6.0
		隣接	-	-	-	309	68.2	2.8	309	68.2	2.8
		遠隔	-	-	-	143	21.8	3.5	143	21.8	3.5
		不明	-	-	-	144	47.7	4.3	144	47.7	4.3
		合計	-	-	-	1,359	75.3	1.2	1,359	75.3	1.2
領域	-	-	-	370	68.5	2.6	370	68.5	2.6		

\*1 DCO、上皮内、診断時年齢100歳以上、第2がん以降を除く

リ転：領域リンパ節転移、隣接：隣接臓器浸潤、遠隔：遠隔転移、領域：領域リンパ節転移＋隣接臓器浸潤

表13. 5年相対生存率(%) : 主要部位別、性別、進展度・総合別

愛知県

2015年

部位	ICD-10	進展度・総合				男				女				男女計			
		集計対象数 *1	5年相対生存率	標準誤差	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	標準誤差
子宮頸部	C53	限局	-	-	-	218	94.6	1.7	1.7	218	94.6	1.7	1.7	218	94.6	1.7	1.7
		リ転	-	-	-	35	69.1	7.9	7.9	35	69.1	7.9	7.9	35	69.1	7.9	7.9
		隣接	-	-	-	226	69.2	3.3	3.3	226	69.2	3.3	3.3	226	69.2	3.3	3.3
		遠隔	-	-	-	78	18.8	4.6	4.6	78	18.8	4.6	4.6	78	18.8	4.6	4.6
		不明	-	-	-	77	52.1	5.9	5.9	77	52.1	5.9	5.9	77	52.1	5.9	5.9
		合計	-	-	-	634	69.9	1.9	1.9	634	69.9	1.9	1.9	634	69.9	1.9	1.9
領域	-	-	-	261	69.2	3.0	3.0	261	69.2	3.0	3.0	261	69.2	3.0	3.0		
子宮体部	C54	限局	-	-	-	482	95.4	1.3	1.3	482	95.4	1.3	1.3	482	95.4	1.3	1.3
		リ転	-	-	-	26	70.4	9.2	9.2	26	70.4	9.2	9.2	26	70.4	9.2	9.2
		隣接	-	-	-	81	66.9	5.5	5.5	81	66.9	5.5	5.5	81	66.9	5.5	5.5
		遠隔	-	-	-	62	26.5	5.7	5.7	62	26.5	5.7	5.7	62	26.5	5.7	5.7
		不明	-	-	-	58	46.7	6.8	6.8	58	46.7	6.8	6.8	58	46.7	6.8	6.8
		合計	-	-	-	709	81.3	1.6	1.6	709	81.3	1.6	1.6	709	81.3	1.6	1.6
領域	-	-	-	107	67.8	4.8	4.8	107	67.8	4.8	4.8	107	67.8	4.8	4.8		
卵巢	C56	限局	-	-	-	144	97.6	1.8	1.8	144	97.6	1.8	1.8	144	97.6	1.8	1.8
		リ転	-	-	-	9	67.1	16.0	16.0	9	67.1	16.0	16.0	9	67.1	16.0	16.0
		隣接	-	-	-	219	64.8	3.4	3.4	219	64.8	3.4	3.4	219	64.8	3.4	3.4
		遠隔	-	-	-	94	25.7	4.7	4.7	94	25.7	4.7	4.7	94	25.7	4.7	4.7
		不明	-	-	-	102	35.5	4.9	4.9	102	35.5	4.9	4.9	102	35.5	4.9	4.9
		合計	-	-	-	568	61.6	2.1	2.1	568	61.6	2.1	2.1	568	61.6	2.1	2.1
領域	-	-	-	228	64.9	3.3	3.3	228	64.9	3.3	3.3	228	64.9	3.3	3.3		
前立腺	C61	限局	2,497	100.0	0.7	-	-	-	-	2,497	100.0	-	-	2,497	100.0	0.7	0.7
		リ転	47	94.4	6.5	-	-	-	-	47	94.4	-	-	47	94.4	6.5	6.5
		隣接	618	98.8	1.7	-	-	-	-	618	98.8	-	-	618	98.8	1.7	1.7
		遠隔	442	52.7	2.9	-	-	-	-	442	52.7	-	-	442	52.7	2.9	2.9
		不明	527	77.0	2.7	-	-	-	-	527	77.0	-	-	527	77.0	2.7	2.7
		合計	4,131	96.1	0.7	-	-	-	-	4,131	96.1	-	-	4,131	96.1	0.7	0.7
領域	665	98.5	1.6	-	-	-	-	665	98.5	-	-	665	98.5	1.6	1.6		
膀胱	C67	限局	581	90.0	2.3	135	79.9	4.7	4.7	716	88.2	4.7	4.7	716	88.2	2.1	2.1
		リ転	30	43.9	11.3	4	0.0	0.0	0.0	34	38.7	0.0	0.0	34	38.7	10.3	10.3
		隣接	94	36.6	5.7	34	39.2	9.3	9.3	128	37.6	9.3	9.3	128	37.6	4.8	4.8
		遠隔	26	8.1	5.7	12	8.9	8.9	8.9	38	8.4	8.9	8.9	38	8.4	4.8	4.8
		不明	143	49.8	5.3	34	39.8	9.9	9.9	177	48.5	9.9	9.9	177	48.5	4.7	4.7
		合計	874	73.7	2.1	219	63.2	4.0	4.0	1,093	71.6	4.0	4.0	1,093	71.6	1.8	1.8
領域	124	38.4	5.1	38	35.2	8.6	8.6	162	37.9	8.6	8.6	162	37.9	4.4	4.4		

\*1 DC0、上皮内、診断時年齢100歳以上、第2がん以降を除く

リ転：領域リンパ節転移、隣接：隣接臓器浸潤、遠隔：遠隔転移、領域：領域リンパ節転移＋隣接臓器浸潤

表13. 5年相対生存率(%) : 主要部位別、性別、進展度・総合別

愛知県

2015年

部位	ICD-10	進展度・総合				男				女				男女計			
		集計対象数 *1	5年相対生存率	標準誤差	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	標準誤差
腎・尿路(膀胱除く)	C64-C66 C68	限局	445	97.9	1.7	180	95.4	2.6	625	97.9	1.4						
		リ転	24	41.6	11.2	7	62.2	21.3	31	46.6	10.0						
		隣接	140	57.4	4.9	58	54.5	7.2	198	56.5	4.1						
		遠隔	133	9.4	2.7	64	6.9	3.3	197	8.6	2.1						
		不明	113	53.3	5.6	46	31.4	7.4	159	46.9	4.6						
		合計	855	71.1	1.9	355	64.2	2.8	1,210	69.0	1.6						
領域		164	55.2	4.5	65	55.6	6.8	229	55.3	3.8							
脳・中枢神経系	C70-C72	限局	83	41.5	5.8	78	47.0	5.9	161	44.2	4.1						
		リ転	0			0			0								
		隣接	16	12.9	8.6	10	10.2	9.7	26	11.9	6.5						
		遠隔	2	0.0	0.0	2	50.2	35.7	4	25.8	22.4						
		不明	40	31.1	7.5	34	34.4	8.5	74	32.6	5.6						
		合計	141	34.7	4.2	124	40.6	4.6	265	37.5	3.1						
領域		16	12.9	8.6	10	10.2	9.7	26	11.9	6.5							
甲状腺	C73	限局	66	98.2	3.5	247	99.1	1.3	313	99.3	1.2						
		リ転	89	99.5	2.0	158	97.7	1.7	247	98.6	1.3						
		隣接	15	63.2	13.8	53	78.8	6.6	68	75.6	6.0						
		遠隔	12	35.8	14.9	18	48.9	13.1	30	43.8	9.9						
		不明	23	80.3	10.1	58	75.5	6.5	81	78.1	5.5						
		合計	205	91.7	2.6	534	93.9	1.4	739	93.5	1.2						
領域		104	94.3	2.9	211	93.0	2.1	315	93.7	1.7							
悪性リンパ腫	C81-C85 C96	限局	162	79.0	4.1	142	85.1	3.7	304	81.9	2.8						
		リ転	9	57.8	18.5	5	42.8	24.4	14	53.1	14.9						
		隣接	94	77.7	5.4	97	76.8	5.0	191	77.6	3.7						
		遠隔	352	55.8	3.2	283	58.5	3.2	635	57.1	2.3						
		不明	255	61.3	3.7	211	66.4	3.7	466	63.9	2.6						
		合計	889	64.3	1.9	746	68.0	1.9	1,635	66.0	1.4						
領域		103	76.3	5.2	102	75.2	4.9	205	76.1	3.6							
多発性骨髄腫	C88-C90	限局	-	-	-	-	-	-	-	-	-						
		リ転	-	-	-	-	-	-	-	-	-						
		隣接	-	-	-	-	-	-	-	-	-						
		遠隔	-	-	-	-	-	-	-	-	-						
		不明	-	-	-	-	-	-	-	-	-						
		合計	-	-	-	-	-	-	-	-	-	-					
領域		-	-	-	-	-	-	-	-	-							

\*1 DCO、上皮内、診断時年齢100歳以上、第2がん以降を除く

リ転：領域リンパ節転移、隣接：隣接臓器浸潤、遠隔：遠隔転移、領域：領域リンパ節転移＋隣接臓器浸潤

